

**MINISTRY OF HEALTH, JAMAICA**

**PRIORITY NEEDS LIST – AUGUST 20, 2007**

<b>QUANTITY</b>	<b>ITEM</b>	<b>REMARKS</b>
50 drums	Malathion 95%	
25,000 litres	Anvil 2+2 (Synthetic pyrethroid)	
200 bags	Abate - 100 bags 5% skeeter - 100 bags 2% skeeter	
50	Fogging Machines	
50	Spray Pumps (hand operated, pressurized, 14 litres up)	
5	ULV Machines	
50 bags	Altosid (methoprene) 20 – 30 kilos	
100	Comparators	
300 pails	Rodenticide 10kg	
30	Flaming Lamps	
100	Coliform Kits	
50	Portable turbidity meters	
50	Portable pH conductivity meters	
50	DPD Free Chlorine Reagent	
2,000	Collapsible water tanks (5 – 10 gallons)	
15	4WD double cab pick-ups	
17	4WD Estate vehicles – heavy duty all-terrain	
10,000 bottles – 1 qt 5,000 bottles – 1 gallon	Bleach - 1 qt / 1 gal	
	Public Education programme - Community and Mass Media	Estimate – J\$6.0m

-Dr. Marion Bullock DuCasse  
Senior Medical Officer (Health)  
Director, Emergency, Disaster Management  
and Special Services